

**IN THE CLAIMS:**

The text of all pending claims, (including withdrawn claims) is set forth below. Cancelled and not entered claims are indicated with claim number and status only. The claims as listed below show added text with underlining and deleted text with ~~striethrough~~. The status of each claim is indicated with one of (original), (currently amended), (cancelled), (withdrawn), (new), (previously presented), or (not entered).

Please AMEND claims 1, 4, 5, 7-9, 12-14, CANCEL claims 2, 3 and 6 and ADD new claim 16 in accordance with the following:

1. (CURRENTLY AMENDED) An image photographing system<sub>1</sub> comprising:  
a display unit displaying a screen configured by a first display area displaying an image from an image acquisition device, and a second display area displaying a sequence of image data;  
~~an~~ a detecting unit detecting a photographing instruction;  
~~an~~ a generating unit generating image data from ~~an~~ the image when detecting the photographing instruction; and  
an inserting unit inserting the image data in a desirable position of said sequence of image data.  
~~an unit displaying a screen configured by a first display area displaying the image, and a second display area displaying the image data generated based on the photographing instruction.~~
2. (CANCELLED)
3. (CANCELLED)
4. (CURRENTLY AMENDED) ~~An~~ The image photographing system according to claim 3 1, wherein when the inserting unit inserts the image data in the desirable position of said sequence of image data, ~~newly generated image data is displayed in the predetermined position in said second display area,~~ the image data already displayed are shifted frame by frame in a predetermined direction and thus displayed.
5. (CURRENTLY AMENDED) ~~An~~ The image photographing system according to claim

1, ~~further comprising an unit inputting the image to be displayed in said first display area from wherein the image acquisition device is an outside device.~~

6. (CANCELLED)

7. (CURRENTLY AMENDED) A storage medium readable by a machine ~~tangible~~ embodying a program of instructions executable by the machine to perform ~~method steps~~operations, comprising:

displaying a screen configured by a first display area displaying an image from an image acquisition device, and a second display area displaying a sequence of image data;

detecting a photographing instruction;

generating image data from ~~an~~ the image when detecting the photographing instruction;

and

inserting the image data in a desirable position of said sequence of image data.

~~displaying a screen configured by a first display area displaying the image, and a second display area displaying the image data generated based on the photographing instruction.~~

8. (CURRENTLY AMENDED) A ~~The~~ storage medium readable by a machine ~~tangible~~ embodying ~~a program~~the instructions executable by the machine according to claim 7, ~~of instructions executable by the machine, the method steps to perform further operations,~~ comprising:

~~displaying the image data generated fresh from the image when detecting the photographing instruction, in a predetermined position in said second display area; and~~

shifting the already-displayed image data frame by frame in a predetermined direction when displaying ~~the new image data in the~~ a predetermined position when the new image data is inserted in the desirable position of said sequence of image data.

9. (CURRENTLY AMENDED) A ~~The~~ storage medium readable by a machine ~~tangible~~ embodying ~~a program~~the instructions executable by the machine according to claim 7, ~~of instructions executable by the machine, wherein an image acquisition device being connected to said computer, the method steps further comprising displaying an image obtained by said image acquisition device in said first display area, wherein the image acquisition device is an outside device.~~

10. (WITHDRAWN) A data management device comprising:  
a display screen arranging and displaying a predetermined number of data identifying elements identifying data,  
wherein if the number of pieces of data to be managed exceeds the number of pieces of data displayable on said display screen and if data to be managed is added, the added data is inserted in a layout of the data identifying elements displayed.

11. (WITHDRAWN) A storage medium readable by a machine, tangible embodying a program of instructions executable by the machine to perform method steps for making a computer manage data, the method steps comprising:  
arranging and displaying a predetermined number of data identifying elements for identifying data;  
adding data to be managed; and  
inserting and displaying the added data in a layout of the data identifying elements displayed if the number of pieces of data to be managed exceeds the number of pieces of data displayable on a display screen and if data to be managed is added.

12. (CURRENTLY AMENDED) An image photographing method, comprising:  
detecting a photographing instruction;  
displaying a screen configured by a first display area displaying an image from an image acquisition device, and a second display area displaying a sequence of image data;  
generating image data from ~~an~~ the image when detecting the photographing instruction;  
and  
inserting the image data in a desirable position of said sequence listing of image data.  
~~displaying a screen configured by a first display area displaying the image, and a second display area displaying the image data generated based on the photographing instruction.~~

13. (CURRENTLY AMENDED) ~~An~~ The image photographing method according to claim 12 further comprising:  
~~displaying the image data generated from the image when detecting the photographing instruction, in a predetermined position in said second display area; and~~  
shifting the already-displayed image data frame by frame in a predetermined direction

when displaying the new image data in ~~the a~~ a predetermined position when the new image data is inserted in the desirable position of said sequence of image data.

14. (CURRENTLY AMENDED) ~~An~~ The image photographing method according to claim 12, ~~further comprising displaying an image obtained by an image acquisition device in said first display area, wherein the image acquisition device is an outside device.~~

15. (WITHDRAWN) A data managing method comprising:  
arranging and displaying a predetermined number of data identifying elements for identifying data;  
detecting command adding data to be managed; and inserting and displaying the added data in a layout of the data identifying elements displayed if the number of pieces of data to be managed exceeds the number of pieces of data displayable on a display screen and if data to be managed is added.

16. (NEW) A computer readable storage medium storing a program executable by a computer connected with an image acquisition device to perform operations, comprising:  
providing a first display area displaying an image from the image acquisition device and providing a second display area displaying a sequence of stored image data; and  
acquiring the image from the image acquisition device and generating image data related to the acquired image, wherein the generated image data is automatically stored at a selected position of the displayed sequence of stored image data in accordance with a user's instruction when the image is acquired.